








MIKE HYATT LANDSCAPE ARCHITECTS tel 0141 847 0062 mob 07719 795782 email mike@mikehyatt.com www.mikehyatt.com	project title SOUTH BEACH PLAY PARK		job 546
	drawing title CRAZY GOLF LOCATION PLAN		drawing nr. L03
	scale 1:200@A4	drawn by MIH	rev. -
	checked by	date MAY 2022	








	Location 1	Works
1		<ul style="list-style-type: none"> - Power wash, remove all loose materials and surfaces. - Make sure loose screed is removed and lay a regulating coat to even up the surface before applying final screed. - Scrape and remove all vegetation from concrete surfaces and edgings. - Replace missing pebbles. - Check edgings and reset in concrete if required
1		<ul style="list-style-type: none"> - Apply new exterior quality epoxy skim coat B3593 133776 TECH 0 (wickes.co.uk) or equal approved - Repaint using an exterior quality concrete paint to match existing colours and patterns used previously. Emerald Green and Crimson 25 or yellow if available. Skid Grip Anti-Slip Coating - FixALL Paint
1		<ul style="list-style-type: none"> - Make sure loose screed is removed.

	Location 2	Works
2		See spec in location 1
		
		

3	Location 3	Works
		<p>See spec in location 1</p>
		<ul style="list-style-type: none">- Replace small section of missing kerb.- Cut out and repair crack in concrete.
		

4	Location 4	Works
		See spec in location 1
		<ul style="list-style-type: none">- Replace missing section of kerb in the centre as an obstacle.

5	Location 5	Works
		See spec in location 1
		<ul style="list-style-type: none">- Repair obstacle feature, provide an edging where it is missing.
		<ul style="list-style-type: none">- Make sure all loose screed is removed.

6	Location 6	Works
		See spec in location 1
		<ul style="list-style-type: none">- Replace missing kerb as obstacle



7 Location 7

See spec in location 1









- Replace missing concrete kerb as obstacle.









8	Location 8	
		See spec in location 1
		<ul style="list-style-type: none">- Cut out and repair crack in concrete.
		

9	Location 9	
		See spec in location 1
		<ul style="list-style-type: none"> - Replace missing and damaged round top kerbs.
		<ul style="list-style-type: none"> - Reset dislodged kerb

10	Location 10	
		See spec in location 1 - Replace missing round top kerb.
		
		

11	Location 11	
		See spec in location 1
		
		<ul style="list-style-type: none">- Remove all loose screed




12	Location 12	
		See spec in location 1
		<ul style="list-style-type: none">- Remove all loose screed
		<ul style="list-style-type: none">- Reinstall loose kerb

13	Location 13	
		See spec in location 1
		- Repair damaged kerb
		

See spec in location 1



- Make all loose existing screed is removed.

15	Location 15	
		See spec in location 1
		
		<ul style="list-style-type: none"> - Replace damaged kerb using a round topped kerb. - Remove all loose screed

16 Location 16



See spec in location 1

-



- Replace damaged kerb

17 Location 17



See spec in location 1

- Reform hole to take a golf ball
- Replace damaged pin kerb



See spec in location 1

